Work Order ID 60	0527									Page 1
Tuesday, July 13, 2010 11:	29:00 AM				1811 8811 8181 8881		Setup	Start		
Item ID: D212-664- Revision ID:		A	ccept		BBIII BBIII BIBII BBIBI			Stop		
Start Date: 7/13/2010 Required Date: 7/26/2010		) (1848) (44 (44)   (4848) (44 (44)	:	Cust Ite			-  -	:	4	
Reference:			The state of		Date:	-	Run	Star	1 19 BAHARA IKAN	
	Plan:	Date:	Tooling: SPC (Y/N):		Date:			Stop		Insp
Sequence ID/	Operation Description	·	Set Up/ Run Hours	Tool l	ID Tool#	Plan Code		eject ty	Reject Number	Insp. Stamp
Work Center ID	Revision Nbr						:			÷
Diaw No.	Rev D									
D212-664-141  100  Mori Seiki  Mori Seiki CNC Lathe Large	MORI SEIKI CNC LAT  Memo  1-Fill tube v	HE LARGE  with sand & install plugs D' side as per Folio FA113 a transition lines smooth.	0.00 0.00 T8534 on both ends as	per Folio FA113			_OM _	10 -	- <u>0</u> 7	-276
110 	QC1- Inspect dimension	ns to dimension sheet	0.00	. i		manuscriptura and and and and and and and and and an	a.M	10	-07	-276
QC Quality Control	, MEMO			4			}	v		•
120  Mori Seiki  Mori Seiki CNC Lathe Large	2-File do	cond side as per Folio FA1 wn transition lines smooth. e sand and plugs	0.00				Q M	10	- 07	-276

Dart	Aero	space	Ltd
------	------	-------	-----

Dart Aei	rospace L	_td							
W/O:			WO	RK ORDER CHANGE	S			· · · · · · · · · · · · · · · · · · ·	
DATE	STEP	PRO	OCEDURE CHAN	IGE	Ву	Date C	ty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
Part No	•	PAR #:	Fault Categ	jory:	NCR: Yes	No <b>DQA:</b> _		_ Date: _	
Resolution:		Disposition	<b>:</b>	QA: N/C Cld	osed:		Date: _		
NCR:		,	WORK ORDE	R NON-CONFORMAN	NCE (NCR	)		·	
		Description of NC		Corrective Action Section B		Verificati	dn	Approval	Approval
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section (		Chief Eng	QC Inspector
							Ì		
							1		
							١		
		Profession .					1		

0.00

Memo

150

HandFXtube

Hand Finishing Crosstubes

al 10 - 07 -28

W/O:			WORK ORDER CHANGES						
DATE	STEP	PRO	CEDURE CHA	ANGE	Ву	Date	ety	Approval Chief Eng / Prod Mgr	Approval QC Inspector
								,	
							Ì		; }
							1		
Part No	•	PAR #:	Fault Cate	egory:	NCR: Yes	No DQA	:1	Date:	
	R	esolution:	Disposition	on:	_ QA: N/C CI	osed:	1	Date: _	
NCR:		V	VORK ORD	ER NON-CONFORMA	NCE (NCF	R)			
DATE	STEP	Description of NC			ection B Verifica			Approval	Approval
DAIL	SILF	Section A	Initial Chief Eng	Action Description  Chief Eng	Sign 8 Date	Sectio	n C	Chief Eng	QC Inspector
									;
				,			Ì		
									,
							1		
							l		
							1		
	į								

Tuesday, July 13, 2010 11:29:00 AM

Item ID:

D212-664-101TRN

**Revision ID:** 

Item Name:

Crosstube Turning Detail

**Start Date:** 

7/13/2010

Start Qty: 1.00

Req'd Qty: 1.00

Accept



Setup Start



Stop



Required Date: 7/26/2010

Cust Item ID:

Customer:

Tool ID

Reference:

Approvals:

Process Plan: \_\_\_\_\_ Date: \_\_\_\_

QC: \_\_ \_\_ Date: \_\_\_\_\_

Tooling: SPC (Y/N): Date:

Date:

Tool # Plan

Code

Reject

Qty

Růn

Start



Stop

Reject

Number

Sequence ID/

Work Center ID

160 

Operation Description

QC3- Inspect Part Finish

Memo

Set Up/ **Run Hours** 

0.00

0.00

0.00

Accept

Qty

MB 10-07-28

Insp.

Stamp

Quality Control

170

Packaging Packaging

Packaging

Memo

Identify and Stock in kanban rack

180

Quality Control

QC21- Final Inspection - Work Order Release

Memo

0.00

0.00

MB 10-07-2

10/07/29 X

W/O:									
DATE	STEP	PRO	CEDURE CHA	NGE	Ву	Date	dty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
						<del></del>	<b>   </b>	Prod Wgr	,
· · · · · · · · · · · · · · · · · · ·									
			- 44 J. T						
Part No	·	PAR #:	Fault Cate	gory:	NCR: Yes	No <b>DQ</b>	A:	Date:	
		esolution:	Dispositio	QA: N/C C	losed:		Date:		
NCR:		1	WORK ORD	ER NON-CONFORM	ANCE (NC	R)	Ì		
DATE	CTED	Description of NG			Section B Verificat			Approval	Approval
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign Date	&   Secti		Chief Eng	QC Inspector
l							1		
						f			

Page 1 **Picklist Print** Tuesday, July 13, 2010 11:29:04 AM Work Order ID: 60527 D212-664-101TRN Parent Item: Required Date: 7/26/2010 Start Date: 7/13/2010 Crosstube Turning Detail Parent Item Name: Required Qty: 1.00 Start Qty: 1.00 IPP Rev:A 08-03-06 new issue DD verified by:ec Comments: IPP Rev B 08.04.02 removed Polish EC verified by: DD Qty per Kit Total Qty Date Qty on Status Unit of Route Last Replacement Mfg/ Bin Primary Component Item ID/ Issued Issued Measure Hand Seq ID Qty Item Location Location Item ID Purch Item Name 12.0000 120 Each No Manufactured D6005-128 10,-07276 Crosstube Material Loc Code Loc Qty **Location** 12 LG 12 53593

/ 10	. oopaoo						1		
W/O:			WORK ORDER CHANGES						
DATE	STEP	PROC	PROCEDURE CHANGE				Cty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
					i				
						,			
Part No	):	PAR #:	_ Fault Cate	gory:	NCR: Yes	No DQ	A:	Date: _	
		esolution:	_ Disposition	_ QA: N/C	Closed:		Date:		
NCR:		W	ORK ORDE	ER NON-CONFORMA	NCE (NC	R)			
DATE	STEP	Description of NC	Corrective Action Initial Action Description		Section B ion Sign &		cation	Approval	Approval
		Section A	Chief Eng	Chief Eng	Dat	e Sec	tion C	Chief Eng	QC Inspector
		·							
					11.				

DART AEROSPACE LTD	Work Order:	40327
	Doub Number	D212-664-141
Description: Crosstube Assembly (205/212/412 High Fwd)	Part Number:	DZ 1Z-004-141
Inspection Dwg: D212-664-141 Rev: D		Page 1 of 1

# FIRST ARTICLE INSPECTION CHECKLIST

X	First Article	Prototype
---	---------------	-----------

	spection Sheet wing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
	0.200	+/-0.010	0.200	U		Caliser	Amoy
	R0.063	+/-0.010	RO .063			2-01	
	2.740	+0.005/-0.000	2.740	-		y vern	
	5.097	+/-0.030	5.097			1 1	
	2.304	+0.005/-0.000	2.309			ν	
	2.340	+0.005/-0.000	2.345				
¥	2.398	+0.005/-0.000	2.403	/		Ŋ	
SIDE	2.448	+0.005/-0.000	2.453	/			
ا م	2.498	+0.005/-0.000	2.503			N .	
	2.549	+0.005/-0.000	2554	/_		11	
	2.599	+0.005/-0.000	2.604			N	
	2.671	+0.005/-0.000	2.676	/		"	
	2.701	+0.005/-0.000	2.706		ļ	"	
ľ						<u></u>	<u> </u>
	0.200	+/-0.010	0.200	/_	DOLL	Calipar	AM-04
	R0.063	+/-0.010	RO.063	/_		Ry	
	2.740	+0.005/-0.000	2-740			veco	
	5.097	+/-0.030	5.097	/		_ h	
	2.304	+0.005/-0.000	2.309	/		<u> </u>	
	2.340	+0.005/-0.000	2.345	1-4-		<u> </u>	
Щ В	2.398	+0.005/-0.000	2.403	1/	<u> </u>	<u> </u>	
SIDE	2.448	+0.005/-0.000	2.453	//		1 1	•
0,	2.498	+0.005/-0.000	2.503			<u> </u>	
	2.549	+0.005/-0.000	2 554	1/			
	2.599	+0.005/-0.000	2.604		ļ	"	10
	2.671	+0.005/-0.000	2576	/		"	
	2.701	+0.005/-0.000	2.706				0.00 - 1
	126.514	+/-0.020	126.510		<u> </u>	TOZO MOSING	e 14171-01

Measured by:	G M	Audited by:	6	Pro	totype Approval:	N/A
Date:	10.07-27	Date:	10/07/28		Date:	N/A

Rev	Date	Change	Revised by	Approved
	05.04.27	New Issue (P/O D412-664-101)	KJ/JLM	
<u>A</u>	-		KJ/JLM	
В	06.03.15	Tolerance revised for 5.097 per Dwg Rev update		<del></del>
С	07.05.28	Dwg Rev updated	KJ/JLM IN	<del>                                     </del>
D	10.02.02	Dimension 126.514 was 126.51	KJ 4	X\
			( )	•

W/O:		WORK ORDER CHANGES									
DATE	STEP		PRO	OCEDURE CH		В	,	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
						-					
Part No:F			PAR #:	Fault Ca	tegory:	_ NCR: Y	'es N	o <b>DQ</b>	<b>A</b> :	Date:	
Resolution:			tion:	Disposition: Q				sed:		Date: _	
NCR:			,	WORK OR	DER NON-CONFORM	ANCE (N	ICR)		·		
DATE	STEP		Description of NC			ion B		Verific	cation	Approval	Approval
	JIL.		Section A	Initial Chief Eng			gn & Date	Section C		Chief Eng	QC Inspector
	<u>.</u>		I					<u> </u>			
									<del> </del>		
					<del>-</del>						
			4			,					
·								1			

Item	Qty -141	Qty -141B	Part Number	Description
1	X		D212-664-141	CROSSTUBE ASSEMBLY (205/212/412 HIGH FWD)
2		Х	D212-664-141B	CROSSTUBE ASSEMBLY (214 HIGH FWD)
3	1	1	D6005-128	CROSSTUBE
4	2	2	D2893-1	SUPPORT
5	4	4	D3595-063-450	RUBBER CUSHION
6	4	4	MS21920-25	CLAMP (OR MS21920-26)
7	A/R	A/R	MAGNOBOND 6398	ROCKWELL SPECIFICATION RBO-120-023 ADHESIVE (TEXTRON/BELL SPEC. 299-947-100, TYPE II, CLASS 2 ADHESIVE)

### **GENERAL NOTES:**

1) MATERIAL: MANUFACTURED FROM D6005-128 FINISHED LENGTH = 126.514±0.020

2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1 PRIME INSIDE AND OUTSIDE PER DART QSI 005 4.2 PAINT OUTSIDE PER DART QSI 005 4.2


- TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- UNITS: INCHES UNLESS OTHERWISE NOTED.
- BREAK SHARP EDGES: 0.005 TO 0.010 MAX.
- IDENTIFICATION: SCRIBE DART PART NUMBER "D212-664-XXX" AND BATCH NUMBER ON INSIDE OF CUFF USING VIBRATING STYLUS
- WEIGHT: D212-664-141 = 33.6 lbs (PER IIN-D212-664) D212-664-141B = 33.6 lbs (PER IIN-D212-664)
- PART IS SYMMETRIC ABOUT CENTERLINE.
- RUN CUTTER OFF PART. BLEND OUT EDGE LONGITUDINALY, TRANSITION SHOULD BE SMOOTH.
- 10) BEND PROGRESSIVELY WITH A MINIMUM OF 3 PASSES. MAXIMUM TUBE FLATTENING DUE TO BENDING IS 6% BASED ON O.D.
- 11) LIQUID PENETRANT INSPECT OUTSIDE SURFACE OF CROSSTUBE PER QSI 038.
- 12) INSTALL D2893-1 SUPPORT USING 0.03" TO 0.06" THICK LAYER OF MAGNOBOND 6398 TO THE SURFACE OF D2893-1 THAT WILL BE IN CONTACT WITH THE CROSSTUBE PER QSI 015. LET CURE FOR 12 HOURS AFTER INSTALLATION AND PRIOR TO PACKAGING
- 13) INSTALL MS21920-25 CLAMPS (OR -26) WITH D3595-063-450 RUBBER CUSHIONS TO SECURE THE D2893-1 SUPPORT ON TOP SIDE OF THE CROSSTUBE. ENSURE CLAMPS ARE OPPOSITE OF CROSSTUBE
- 14) EXTREME CARE MUST BE TAKEN TO PROTECT THE OUTSIDE SURFACE OF THE TUBE. THE OUTSIDE SURFACE MUST BE SMOOTH AND FREE FROM SURFACE DEFECTS SUCH AS SCRATCHES, NICKS, OR. DENTS. DEFECTS UP TO 0.005" MAY BE BLENDED OUT LONGITUDINALLY. CIRCUMFERENTIAL GRIND MARKS ARE UNACCEPTABLE.
- 15) TORQUE CLAMPS 80 TO 100 IN-LB. ENSURE AT LEAST 1.5 THREADS CHOWING IN SAFETY AND THAT NUT HAS NOT BOTTOMED-OUT AFTER TORQUING.

SHOP COPY RETURN TO ENGINEERING UNCONTROLLED COPY SUBJECT TO AMENDMENT WITHOUT NOTICE P110-7-B


D	REORG. TO CUR REMOV & B6-3);	ANIZED VIEWS RENT STANDA ED REF & ADD RELOCATED F TURNING DET	ENERAL NOTES/PART LIST; AND REFORMATTED DRAWING RDS; ADD -1418 (ZN B4-2, D4-2); TOLERANCES (ZN B4-3, C6-3, C8-3 FLAG & PER PAR 08-046 (ZN A5-3); ALL & UPDATED TOLERANCE TO	RF	09.09.30		
С			SION STRIP; ADD MAGNOBOND ERSE CLAMPS	PH	07.03.08		
8	ADD H		MPATABILITY WITH BHT/AA	PH	05.02.04		
i A	NEW S	SUE		PH	00.12.12		
REV.		: D	ESCRIPTION	BY	DATE		
DESIGN PH DRAWN RF			DART AEROSP				
CHECKED 0		97	DRAWING NO.		REV. D		
MFG. APPR.		Z	D212-664-141	\$	HEET 1 OF 4		
APPROVED 10		10	TITLE		SCALE		
DE APPR.			XTUBE ASS'Y (205/212/412 HI FWD) NTS				
DATE	09.0	9.30	COPYRIGHT @ 2000 BY DART A THIS DOCUMENT IS INTEREST AND CONFIDENTIAL AND IS SUPPLIE NOT TO BE USED FOR ANY PURPOSE OR COPIED DIS COMMUNIN	ON THE EXPRE	SS CONSTION THAT IT IS		

8

W/O:	·		W	ORK ORDER CHANG	GES					
DATE	STEP	PRO	OCEDURE CH	IANGE		Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
			7.15							
Part No		PAR #:	Fault Ca	tegory:	NCI	R: Yes	No <b>DQ</b>	A:	Date:	
	Re	esolution:							Date:	
NCR:		\	WORK OR	DER NON-CONFORM	IANCE	(NCR	)			
DATE	STEP	Description of NC Section A	Initial	Corrective Action Sec Action Description	ction B	Sign &		cation	Approval Chief Eng	Approval QC Inspector
		Section A	Chief Eng	Chief Eng		Date	Sect	ion C	Chief Eng	QC Inspector
	***	~			.:.			4		
		·								




	-							4		
W/O:			WC	ORK ORDER CHANGE	ES					
DATE	STEP	PRO	CEDURE CHA	NGE	Ву	,	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
	,									
								i		
Part No		PAR #:	Fault Cate	gory:	NCR: Y	es N	o <b>DQ</b>	<b>A</b> :	Date:	
		esolution:							Date:	· · ·
NCR:		V	WORK ORD	ER NON-CONFORMA	NCE (N	CR)				
DATE	STEP	Description of NC		Corrective Action Section			Verific	atior	Approval	Approval
	SIEF	Section A	Initial Chief Eng	Action Description Chief Eng		gn & ate	Section		Chief Eng	QC Inspector
_										



# Dart Aerospace Ltd W/O: WORK ORDER CHANGES DATE STEP PROCEDURE CHANGE By Date Qty Approval Chief Eng / Prod Mgr QC Inspector

Part No:	PAR #:	Fault Category:	NCR: Yes No DQA:	Date:
	Resolution:	Disposition:	QA: N/C Closed:	Date:

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
	I	Description of NC		Corrective Action Section B		Verification	Approval	Approval
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Chief Eng	QC Inspector
		·						
	:				!			



	Dart	<b>Aeros</b>	pace Ltd	
--	------	--------------	----------	--

W/O:		WORK ORDER CH	ANGES	۸.
DATE	STEP	PROCEDURE CHANGE	By _Date Qty	Approval Chief Eng / Prod Mgr  Approval QC Inspector
			,	
		·		
Part No	):	PAR #: Fault Category:	NCR: Yes No DOA:	Date:

Part No:	PAR #: Fault Category:	NCR: Yes No DQA:	Date:
Resolution:	Disposition:	QA: N/C Closed:	Date:

NCR:		•	WORK ORD	ER NON-CONFORMANC	E (NCR)			
		Description of NC		Corrective Action Section B		Verification	Annroval	Annroval
DATE	STEP	Section A	Initial Chief Eng	Action Description  Chief Eng	Sign & Date	Section C	Approval Chief Eng	Approval QC Inspector
					·			